# **Release Notes for VigorACS 3 (UK/Ireland)**

Software Version	3.7.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	24 <sup>th</sup> January 2025
Revision	r6985
Java Version	17.0.12
Mariadb Version	11.4.2
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

VigorACS 3 is the latest version of DrayTek's Central Management System (CMS). It supports all current DrayTek routers and firewalls, providing system integrators and network administrators with a comprehensive real-time monitoring, configuration, and management platform. New with VigorACS 3 is Software Defined WAN or Software Defined Networking, to make complex routing schemes simple and intuitive.

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

# **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

(None)

# **Improvements**

- 1. Fix to the rising CPU usage
- 2. Improvements to the Hotspot Web Portal profile creation
- 3. The CPE dashboard could not load when the device was selected

# Known Issues

Software Version	3.7.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	20 <sup>th</sup> January 2025
Revision	r6971
Java Version	17.0.12
Mariadb Version	11.4.2
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

# **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- 1. Support for encrypted MySQL traffic
- 2. Support for DrayOS5 Provisioning (Limited)
- 3. Support for SSO with Azure for external authentication
- 4. Support for VigorACS installation on Amazon Linux 2023

- 1. Improvements to the firmware upgrade process
- 2. Updates to the account activation verification mechanism
- 3. Support for grouping CPE through the gateway on VigorACS
- 4. Updates to the warning message regarding "Firmware damage"
- 5. The email sent by [ACS] > [VPN Alarms] can include the VPN Profile name
- 6. The installation/configuration of JBoss description of the standalone.xml option is changed to "TLS 1.2 and above"
- 7. VigorACS can email firmware upgrade results to the user
- 8. Adjustment of the LAN port selections for [Configuration] > [LAN] > [Wired 802.1X]
- Additional option of DNS Cache Table for [Monitoring] > [Diagnostics] > [DNS Cache Table]
- 10. Additional option of Fast Routing for [Configuration] > [Routing] > [Fast Routing and NAT] > [Fast Routing]
- 11. Additional option of VPN for the WAN Interface [Configuration] > [NAT] > [Port Redirection and Open Ports]
- 12. The warning message was updated for the CPE Dashboard when CPE is back online after using the Firmware Recovery function

- 13. A new a message added indicating that the password check for MariaDB could not be performed because the database did not exist
- 14. Improvements related to login/logout
- 15. Improvements to the database backup mechanism
- 16. In some circumstances it wasn't possible to disable Auto Logout.
- 17. Fix some English typos on the VigorACS Summary report page
- 18. ACS could not manage CPE CheckCPEValidByAuthKey was enabled
- 19. VigorACS server time did not match Linux OS local time
- 20. ACS could not display SSID name on [Monitoring] > [Devices]
- 21. The Capacity (%) value could not be configured on the [About] > [License Mail Norify] > [License Capacity] mail notification page
- 22. In some circumstances ACS could not detect the modification on LAN ACL button
- 23. Configuration backup job for some CPEs could fail due to the URL being too long
- 24. DNS settings could not be shown for APs on [Configuration] > [LAN]
- 25. The VPN User Remote Client IP via ACS CPE config page wasn't working
- 26. The VLAN ID can now be displayed on the Network view [Dashboard]
- 27. Fix an issue with the network tree scrolling up after saving network group or CPE settings
- 28. View Only Operator user can access the SDWAN data for the CPE
- 29. VigorAP 962C's channel can now be shown on [Monitoring] > [Devices]
- 30. It wasn't possible to update the number of VPN connections in Device Overview
- 31. The license activation pop up message did not work when current user had 2FA enabled
- 32. The sort button was missing for filenames on pages related to firmware upgrade
- 33. Fix an issue with failure to save URL Filter profile on [Provisioning] > [Global Parameter Profile]
- 34. Limited access to the WUI after 1 to 2 days was caused by the CPE SysLog server being out of memory
- 35. The firmware upgrade network selection could appear out of the screen when using a mobile phone in portrait mode
- 36. Loading CPE (e.g., Vigor2765) dashboard data often caused some part data to timeout
- 37. VigorACS comprehensive reports did not allow to select multiple networks within a user group
- 38. The VPN name could not be shown properly on [VPN Overview] if the '&' character was used for naming the VPN profile
- 39. Fix for the issue where some supported devices were marked with "This model is NOT supported" note
- 40. The parent network would be changed to a child network by the Change Network button which caused the network loop

Software Version	3.6.3 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	18 <sup>th</sup> September 2024
Revision	r6143
Java Version	17.0.11
Mariadb Version	10.6.5
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

## **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

 Support for two new user roles: Customized Operator & Customized View Only Operator that can be customised in the [User] > [Group Management] > UI Customization section, and then assigned to a new user on the [User] > [User Management] page

## **Improvements**

- 1. Fixed the issue when a user activating a new account followed OOBE and the "the account activation token is not found" error occurred
- 2. Improvements related to ACS DB restore functionality
- 3. Fixed the issue where browsing logs was taking a long time to load
- 4. Fixed the issue with Auto Clear that could also remove the settings profile
- 5. Fixed the issue where set up of SMTP email for All User Group did fail
- 6. Improvements to the change device status in the [Monitoring] > [Devices] section
- 7. In some circumstances incorrect CPE number was displayed on the Dashboard
- 8. The WUI OTA upgrade didn't upgrade MySQL DB on Windows
- 9. Fix for IPsec LAN to LAN VPN setup by ACS VPN Wizard
- 10. The custom SMS provider did not work on the Hotspot web portal page
- 11. Compatibility improvements with MariaDB 10.4
- 12. Users could access and manage files from other user groups in File Manager

# Known Issues

Software Version	3.6.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	20 <sup>th</sup> June 2024
Revision	r6012
Java Version	17.0.11
Mariadb Version	10.6.5
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

#### **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

(None)

## **Improvements**

- 1. Support added for AlmaLinux distribition
- 2. The Search function optimisation in Network Tree
- 3. Support for the pin code generator for VigorACS hotspot portal
- 4. Removal of the empty profile in [Provisioning] > [Global Parameters]
- 5. Support added for the IPsec IKEv1 Aggressive Mode option in ACS3 SDWAN
- 6. Support added for the IPsec IKEv2 option in ACS3 SDWAN
- 7. The last known CPE information will be shown when the device is offline
- 8. Support for the API method that can trigger the CPE to send TEST INFORM
- 9. Support for custom reports for database data specified by end users
- 10. The "HTTP-01 challenge can only be done on port 80" note added for Let's Encrypt
- 11. Improvements to the AAD/LDAP search tool
- 12. The CPEs in Device Tree were not listed alphabetically
- 13. Improvements to the display of the CPE configuration menu
- 14. DrayOS 5 product compatibility improvements
- 15. The VigorSwitch P2540xs dashboard panel could not be displayed on ACS
- 16. In some circumstances VigorACS could stop working after OTA WUI upgrade
- 17. Improvements to the Search option based on MAC address in Network Device Tree
- 18. The Last Modified sort option in the file manager did nor order the files correctly
- 19. In some cases MySQL DB failed to upgrade on Windows OS after OTA WUI upgrade
- 20. Fix an issue with the EnableForceSetCPEPeriodicInformInterval parameter

#### Known Issues

Software Version	3.6.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	6 <sup>th</sup> June 2024
Revision	r5915
Java Version	17.0.10
Mariadb Version	10.6.5
InfluxDB Version	1.0
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <u>https://www.draytek.co.uk/products/management</u>

# **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

1. Support for WCF registration on MyVigor via VigorACS

- 1. Dashboard view for DrayOS5 devices is now supported
- 2. The system will send the Disk Usage Warning message when the disk space is about to reach the maximum allocated space.
- 3. VigorACS stability improvements
- 4. Support for VigorAP 1062C
- 5. Support for remote MySQL connection via IPv6 address
- 6. Different uptime formats can be shown for External devices
- 7. The system parameter 98 description has been changed (HeartbeatInterval)
- 8. The licence table option is included in the Backup MySQL DB script
- 9. The login failed block notification will be shown on 3<sup>rd</sup> incorrect login attempt
- 10. The device can be searched by its name in the [Maintenance] > [File Manager] section
- 11. Improvements to the provisioning profile mechanism including the 'force redeploy' parameter
- 12. File transfer over HTTPS did not work
- 13. The Search mechanism improvements linked to case-sensitive queries
- 14. Typo improvements for pages such as Diagnostics, DNS Cache Table etc.
- 15. Improvements to the CEP user control
- 16. Cache improvements related to Networks and Device Tree
- 17. HTTPS redirection did not work as expected
- 18. Improvements to the issue related to 'lost connection' with some VigorAPs
- 19. The system would fail to load all requested parameters in ACS
- 20. Improvements to the SNMP trap keepalive messages being send out
- 21. When unbinding VigorACS from MyVigor account, two confirmation emails were sent

- 22. Removing a node with 'clear TR069 URL' option will trigger the confirmation window
- 23. In some cases, registration and activation of a new ACS server to MyVigor service could fail
- 24. Incomplete information could be seen for file transfer log .xls downloads
- 25. There were no graphs appearing when periodic inform set to 3600 seconds
- 26. The new added CPE wasn't displayed within the ACS/network tree
- 27. The new WAN IP address overwrote the device IP for all historical logs
- 28. There were no Provisioning options for the Admin and commissioning user roles
- 29. LAN clients weren't shown on the ACS Dashboard for some CPEs
- 30. Incorrect 'This model in NOT supported' messages was shown for PQ2200xb managed switches
- 31. Wrong information was shown for some managed devices, including the G2282x switches
- 32. The Port Status dashboard image did not work for Vigor 2766ax CPEs
- 33. A redundant column called 'Set To Factory Default' appeared on [CPE] > [Configuration] > [Applications] page
- 34. ACS did not move the AP (grouped under the router's gateway) to the correct position
- 35. The [Network] > [IP] overview report did not include all WAN Ips stored in the basedeviceinfo table
- 36. Improvements for displaying a correct IP address within the [Routing] > [Load Balance/Route Policy] rule
- 37. Compatibility improvements with inconsistent password length for Global Provisioning TR069 password and CPE WebUI
- 38. Fix for the issue where resetting the system user to default might cause the superadmin account to get the wrong password
- 39. After importing more than 3000 XML files, the CPE configuration parameter profile could not be displayed
- 40. In some circumstances displaying each category in [Configuration] > [Firewall] > Category Selection and apply to CPE could not work
- 41. The same email notification (device loss connection) was sent out when WAN returned back after a WAN failure
- 42. Wrong account details were shown for the admin account in [Configuration] > [System] > admin account section
- 43. The DB backup stayed in a running state when the time was up, and no email was sent when the DB backup was complete

Software Version	3.5.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	28 <sup>th</sup> December 2023
Revision	r4569
Open JDK Version	17.0.8
Mariadb Version	10.6.5
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

# **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

# New Features

(None)

# **Improvements**

- 1. The data input/output (IO) performance improvements
- 2. The data usage wasn't accurate in the SDWAN section
- 3. Fix for the detection of online/offline status of CPE devices
- 4. There was InfluxDB no data issue after Windows restart
- 5. Fix for WAN Graphs not always working
- 6. The device name on CPE dashboard would not update until a reboot of the CPE
- 7. Some of the WCF categories could not be shown while configuring the global provision profiles
- 8. Fix for XML import with a user group name to EMS
- 9. The system kept loading the network device tree after clicking the Refresh button
- 10. Duplicate options on the AP Mesh Setup page could be seen
- 11. Display option for all port status of VigorSwitch improved
- 12. Some routers could stop responding when using VPN drag & drop option was used to create VPN tunnels
- 13. Fix an issue with failure to save the parameters within the CPE Set Parameters profiles
- 14. View Only operators could access the reset icon on the dashboard
- 15. Setting the device status to disable for multiple CPEs did not work
- 16. The MAC address-based search option for CPEs in network device tree did not work

# Known Issues

Software Version	3.5.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	10 <sup>th</sup> October 2023
Revision	r4522
Open JDK Version	17.0.8
Mariadb Version	10.6.5
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <u>https://www.draytek.co.uk/products/management</u>

## **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- 1. Support for the web firmware upgrade via cURL
- 2. The DrayTek Router App (iOS) compatibility added
- 3. Support for DrayTek Router App based 2FA authentication
- 4. SNMP trap notifications
- 5. DrayTek Router App can receive push notifications from VigorACS
- 6. Added CPE deep link URL support for helpdesk purposes

- 1. Configuration backup files can be transferred to another group folder after the network is moved
- 2. Firmware files with size "0" cannot be uploaded to the server using File Manager
- 3. The email/SMS service notifications can indicate the licence expire date, reaching the licence capacity threshold, and new firmware release
- 4. Additional system parameters (96 100):
  - a. EnableAccessControlByMac (Mac address or S/N check control)
  - b. ResendSetParameterByBootstrap (CPE Set Parameter improvements)
  - c. HeartbeatInterval (Add Annex O. HEARTBEAT Event Procedures for TR069)
  - d. EnableNewFirmwareReleaseNotify (notify customers in ACS when a new firmware is available)
  - e. "MaximumUploadFileSize" for (CPE with the large file size of the configuration file)
- 5. A notification of RC version is shown for download
- 6. Display IPsec Phase 2 Network ID on CPE dashboard
- 7. 'Select All' added for the [Maintenance] > [File Manager] page

- 8. The order of the STUN (maximum, minimum) Keep Alive Period variables now match CPEs
- 9. Displays the same mesh information as shown in WUI CPE
- 10. Migration to the new Google Identity Services library for Google Sign-in
- 11. Improvements for channel bandwidth "Auto\_20/40/80/160 MHz" selection for AP Profiles
- 12. The view log option added to check the status of provisioning firmware upgrade profiles
- The firmware upgrade date is now displayed under View Log on the [Maintenance] > [Firmware Upgrade] Firmware Upgrade Job List
- 14. Fixed an issue with the use of floor plan
- 15. The Search option was case-sensitive
- 16. In some circumstances graphs displayed on the VigorACS page would show gaps
- 17. VDSL WAN1 did show incorrect VLAN tag
- 18. Improvements to the Leafmap central location that was pointing to Taiwan only
- 19. Fixed an issue with the wrong current system time on the CPE's dashboard
- 20. Fixed an issue with the 5Ghz SSID1 being disabled after provisioning with the AP Profile
- 21. The Telegram bot kept sending messages about DeviceLossConnection
- 22. ACS doesn't update CPE via FWUpgradeFailInterval if the schedule rolls over to the next day
- 23. The bandwidth variables set on ACS did not match with settings of some CPEs
- 24. The console.log logging file size improvements
- 25. Parameters added for address, note1, note2, and user\_defined\_sn CPE fields
- 26. The certificate renewal by ACS CSR wasn't working
- 27. Redirection to MyVigor server could take longer than expected
- 28. The AP profile did not support RADIUS server settings
- 29. Fixed an issue with failure to change the user role to Group Administrator by Master group admin
- 30. Some of the parameters for the user service were missing, e.g., auto logout, chatbot notification etc.
- 31. Some information on [Dashboard] > [Port Status] page was missing for specific CPEs
- 32. Enabling the function 'Wireless Is Writable' in Function Management wasn't working
- 33. The version number was displayed even when it was disabled in the [User] > [Function Management]
- 34. Fixed an issue with failure to enter username/password when creating a new Remote Dial-in User for IPsec XAuth or IKEv2 only
- 35. Copying HTTP or HTTPS port number when clicking on Copy to register domain button for Let's Encrypt certificate did not work

Software Version	3.4.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	26 <sup>th</sup> April 2023
Revision	r4301
Open JDK Version	17.0.6
Mariadb Version	10.6.5
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

## **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- 1. Support for OTA(Over-The-Air) updates
- 2. System notification added for the storage limitation used for Alarm, Logs, Device SysLog and File Manager
- 3. Support for WireGuard VPN added

- 1. Add the notification for reminding new release of VigorACS
- 2. Support for Vigor 2763 added
- 3. The Network management list improvements
- 4. Improvement to the offline CPE dashboard
- 5. An option to enable/disable the SOAP interface added
- 6. Restrict the access rights for PublicArea (File Manager)
- 7. Total number of nodes can be displayed on a group management page
- 8. Added an option to enable WAN alarms at a network level
- 9. A limited number of characters for Router Name added
- 10. Support for the 'Separate Account for ADSL' TR-069 parameter
- 11. Support for the Global parameter to enable Periodic Inform Settings forcefully
- 12. The REST API Wholesale Wizard can be created without expire date
- 13. Updates to the option names for PhysicalType on the Parameter Tree page
- 14. Change the MySQL DB backup permissions and the corresponding ACS directory
- 15. A new user role can be created or edited to allow adding networks and changing device names
- 16. The .zip and .rst files are removed after downloading new firmware files from DrayTek FTP

- 17. Error-proof mechanism added for Captive Portal Detection in Hotspot Profile
- 18. 'Bind to WAN' tab added into [VPN] > [Remote Access Control]
- 19. MSS can be configured in [Configuration] > [VPN PPP General Setup] and [IPsec General Setup]
- 20. The simple report output will contain the device name, quantity of the devices, and their firmware version
- 21. The search option added to list firmware files on the firmware upgrade jobs page
- 22. Apply to WiFi setting fields added for MDM in AP Profile
- 23. The CPE dashboard can now include the SIM 1 & 2 ICCID information
- 24. The 'ax' 5GHz settings for AP profiles are now supported
- 25. Fix for a display issue with updating the CPE device name (Vigor167)
- 26. The Apply Access List to Ping button was not clickable
- 27. Fix for displaying the system uptime (Vigor167)
- 28. The saving of the management settings without a reboot message was improved
- 29. A fix to an issue with a device being offline when there was an 'interface lost connection' alarm
- 30. Fixed an issue with a network name duplicate detection mechanism when Unicode characters were used
- 31. Fixed an issue of disconnection for Switches and APs after changing the connection mode from DHCP to Static IP
- 32. Improvements to the Let's Encrypt domain verification mechanism
- 33. In some circumstances the alarm log did not working with the global mail server
- 34. A completed DB backup process could end up with a "Delete Logs Failed" error message
- 35. The Group administrator user role had the API access option missing
- 36. Fixed an issue of changing the user account settings with the privilege of Standard user
- 37. The Standard user can view the license information page
- 38. Fixed the login failure issue occurring after upgrading the VigorACS from 3.2.1 to the latest version

Software Version	3.3.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	31 <sup>st</sup> January 2023
Revision	r3770
Open JDK Version	17.0.5
Mariadb Version	10.6.5
InfluxDB Version	2.1.1
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <u>https://www.draytek.co.uk/products/management</u>

## **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- 1. Chatbot and notification options are now supported
- 2. Phase II of the SD-WAN WUI implemented
- 3. Support for PIN as the hotspot login method
- 4. Support for Let's Encrypt certificate

- 1. New fields added for setting domain name for remote node (VPN)
- 2. Java package changed LTS build version
- 3. Upgrade to WildFly 25.0.1
- 4. Upgrade to MariaDB 10.6.5
- 5. Upgrade to InfluxDB 2.1.1
- 6. System stability improvements
- 7. Improvements to the station list format for 2.4G/5G
- 8. Improvements to the naming convention so that they are consistent with VigorAPs
- 9. Changing permission of MySQL DB backup and ACS relevant directory is now allowed
- 10. The REST API WholesaleWizard accepts changes without changing specifying the expiry date
- 11. Dragging Roles within the page of [User] > [Function Management] is forbidden
- 12. Fixed some issues related to QoS rules
- 13. Improvements to the mechanism responsible for modifying the IKEv2 L2L VPN profiles
- 14. The DrayTek FTP and VigorACS did not working in some circumstances
- 15. Fixed an issue with the display of the .csv report files
- 16. Some users allowed to use API could not access the WUI
- 17. Fixed an issue with displaying duplicate menu items [Applications]

- 18. Fixed an issue of session timeout error
- 19. Group object selection settings could not be displayed properly
- 20. Improvements to unclear VPN related to VPN Wizard and VPN Config
- 21. Improvements to OOBE where email address could not be saved in a user profile
- 22. Leaflet maps did not display CPEs on the dashboard
- 23. Operators could not edit VPN profiles
- 24. Improvements to the parameter values that are set for global provisioning XML profiles
- 25. VigorACS could not identify some of the CPEs (e.g., Vigor167, VigorSwitch P1282/G1282)
- 26. VigorACS could not add an AP/Switch while there was a 0.5 node left
- 27. Leaflet Maps displayed incorrect locations for some networks or devices
- 28. The device and network tree could generate errors after adding new CPEs
- 29. Improvements of the foolproof design of Specify Remote VPN Gateway with Peer/Local ID for IPsec VPN
- 30. Networks could disappear in WUI when the database backup process was completed
- 31. Fixed an issue with changing the TR069 "Periodic Inform" and CEP Username/Password
- 32. Fixed an issue with the device name shown as "1" in the device tree when a modifying device name was set to "Switch 1"
- 33. Fixed an issue with viewing the monitoring/WAN data usage on the newly added SDWAN network routers
- 34. Resolved an issue with displaying the front panel of the Vigor router (e.g., Vigor2866ax) on the CPE dashboard
- 35. The CPE firmware upgrade process could fail if the firmware file was located in the user group's name containing "&" character

Software Version	3.2.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	11 <sup>th</sup> August 2022
Revision	r3215
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

## **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

1. Support reporting VigorACS server licence usage to MyVigor

#### **Improvements**

- 1. Fixed an issue where opening User Management and Network Group pages could take longer in some circumstances
- 2. Fixed an issue with parameters mixture with irrelevant values after editing a parameter in a global provisioning profile

#### Known Issues

Software Version	3.2.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	10 <sup>th</sup> March 2022
Revision	r3162
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <a href="https://www.draytek.co.uk/products/management">https://www.draytek.co.uk/products/management</a>

## **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- Leaflet / OpenStreetMap added as an alternative provider for map display. Select this from [System] > [System Parameter] with the "MapServiceProvider" setting
- 2. New Out of Box Experience (OOBE) feature added to aid in initial setup for new users
- 3. Support for InfluxDB Backup and Restoration. Contact support for details
- 4. Support for "Forgot password..." feature. Toggle on/off from [System] > [System Parameter] list with the "EnableUsermailValidation" variable
- 5. Support for XMPP server (required to be set up by the user additionally)

- 1. Parameter List table can now be sorted on the Global Parameter page
- 2. Added a new user role: Commissioning User. This user role can create new networks and view SD-WAN settings but cannot modify SD-WAN settings.
- 3. Increased SMTP password max length up to 256 characters
- 4. The "Enable API Service" option can now be enabled to users authenticated externally
- 5. Added new option "VPN server" for VPN brute force protection
- 6. Added support for hostnames in the remote management access list
- Option to "Delete with wholesale" added to [User] > [Group Management] to delete all Networks, Devices and Users from the selected User group
- 8. Changed the file manager's DrayTek FTP protocol from HTTP to HTTPS
- 9. Added new VPN settings field for [VPN] > [SSL VPN General Setup]
- 10. Support to adjust the date and time fields for dark theme in creating a new report task
- 11. Root Network will be invisible if login to VigorACS with the role of Group Admin/wholesale users

- 12. The option, All, is hidden for Keep Files, Maintenance] > [Scheduled Backup] > [Backup Settings Profile
- 13. Added a new parameter (ShowRootNetworkGraphicStatistics) to display/close the statistics and graphs on Root Network. Default value is turned off
- 14. Fixed a display issue for the device tree on some specific pages
- 15. Fixed an issue with TR-069 parameter used in report task
- 16. Fixed an issue with registering a new device to VigorACS
- 17. Fixed an issue with support .cloud domains in some fields
- 18. Fixed an issue with displaying overall Cellular Data Usage
- 19. Fixed an issue with setting the secret with hexadecimal digits
- 20. Fixed an issue with wrong message displayed after closing install.sh script
- 21. Resolved an issue with creating new users by using Wholesale Wizard
- 22. Improved handling of downloading files from DrayTek FTP to Public Area
- 23. Fixed an issue with selecting / unselecting multiple database backup files
- 24. Fixed an issue with modifying Objects on NAT rules, Global Provisioning
- 25. Fixed an issue with displaying the model panel of Vigor2926L on the Dashboard
- 26. Fixed an issue with registering a user, created by using Wholesale Wizard, to the network
- 27. Improved uploading of files to the PublicArea Group in [Maintenance] > [File Manager]
- 28. Corrected display issue for devices and networks in tree view, when adding new devices
- 29. An issue with Standard user got 'Session Expired' message when trying to delete CPE in (CloudACS)
- 30. Fixed creation of TR-069 database during ACS installation where MySQL password contained an "&" character
- 31. Improved handling of RADIUS Confirm Shared Secret configuration longer than 11 characters
- 32. Resolved issue registering CPE in network when user was created via the Wholesale Wizard
- 33. Improved status message displayed when enabling "Disable TR-069 configuration changes from CPE UI"
- 34. Add columns of the following settings for certain device (CPE) on VigorACS:
  - a. [Bandwidth Management] > [Quality of Service], [Hardware QoS]
  - b. [Bandwidth Management] > [Bandwidth Limit], [APP]
  - c. [Configuration] > [Wireless LAN (2.4/5GHz)] > [Access Control, Comment
  - d. [Configuration] > [Wireless LAN (2.4/5GHz)] > [Station Control List], Reset/Cancel button
  - e. [Firewall] > [Filter Rules] > Direction, WAN -> Localhost
  - f. [LAN] > [General Setup] > [IPv6], IPv6 Address Random Allocation
  - g. [System Maintenance] > [Netflow]
  - h. [System Maintenance] > [Webhook]
  - i. [WAN] > [Internet Access], Fallback account
  - j. [Wireless LAN (2.4GHz/5GHz)] > [AP Discovery] > [Statistics]
  - k. [Wireless LAN (5GHz)] > [AP Discovery] > [Add to WDS Settings]

Software Version	3.1.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	24 <sup>th</sup> September 2021
Revision	r2802
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

To learn more about the features and capabilities of VigorACS, see this page: <u>https://www.draytek.co.uk/products/management</u>

# **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- Support for auto-sync of CPE WUI (Web User Interface)
- Added support for Netflow

# **Improvements**

(None)

# Known Issues

Software Version	3.1.0.2 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	10 <sup>th</sup> September 2021
Revision	r2713
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

(None)

## **Improvements**

• Resolved an issue with restoring a configuration through an HTTPS URL

## Known Issues

Software Version	3.1.0.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	13 <sup>th</sup> August 2021
Revision	r2709
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

(None)

## **Improvements**

- Improvement: Removed the default HTTP Server header.
- Resolved an issue with saving WAN1 config settings with the Vigor2860
- Corrected failure to complete scheduled configuration backup for VigorAP
- Opening more than two router pages in different tabs in any browser caused a display issue
- Save button was missing in Two-factor authentication for the operator and view-only users
- Resolved an error message of "Connection Timeout" appearing while file uploading manually via [Maintenance] > [File Manager]

#### Known Issues

Software Version	3.1.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	24 <sup>th</sup> June 2021
Revision	r2696
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- Added new menu options for:
  - Loopback Interface
  - o RADIUS Request Interval
  - Failback to Local Authentication for TACACS+ server
  - Secondary server for ACS/STUN/Syslog/TACACS service
  - Ping/traceroute diagnostics rights for the View-Only Operator
  - o Auto-logout preferences for users

- Support to change user settings for Group Administrator accounts
- REST service can now be run with a different port number
- Improved the GET methods to obtain data based on selected UserID for REST service
- An e-mail alert will include Note1 and Note2 information of CPE
- The settings menu can be closed by clicking anywhere on the screen
- Added IP Group type and IP Group selections to LAN Access List
- Added "Show Google Maps" to the function management
- Auto Refresh option added to the [Monitoring] > [Devices] page
- Changed the authority limitation for User Group and User Role for VigorACS Cloud.
- Provide options in the installation to let users configure how the server log will be stored
- Added username/password criteria and complexity for improving the network security
- Hide version number and Network ID for all user levels except System admin, for Cloud users
- Added Network Name column for LTE Quota Alarm on the [Monitoring] > [Alarm] page
- Disable modifications to the public area for all user levels except sys administration
- Added notifications for APP Enforcement, UCF, WCF, DNS Filter web pages in [Configuration] > [Firewall]
- Add SSH Login/SSH Command types for displaying as Type on [Monitoring] > [Logs] > [CPE Notify]
- Resolved a problem with Two-factor authentication
- Resolved an issue with configuring CPE WAN physical mode and access mode
- Corrected an issue with starting VigorACS service from "vigoracs.sh"

- Corrected an issue with searching for devices with a hyphen '-' in the name
- A CPE could incorrectly be moved to the root network without permission
- Improved the auto-refresh function on the Dashboard
- Resolved issues with VigorACS management of some QoS configurations and Firewall configurations
- Resolved an issue with restarting CPE based on the provisions sent by VigorACS
- Corrected an issue with adding new networks with matching the minimum criteria
- Setting open port WAN interface could send the wrong value in some circumstances
- The "Connection Timeout" message's Retry button did not work correctly
- Resolved WAN interface display issue on [Configuration] > [WAN] > [Internet Access]
- Improved sorting of devices based on the "Last Modified" column in File Manager
- Resolved issues relating to [Configuration] > [VPN] > [Remote Dial-in User] including:
  - VPN Type settings for Allowed Dial-In Type
  - $\circ$   $\;$  Position offset for the button of Set to Factory Default

Software Version	3.0.5 (First Software Release)
Release Type	Initial Release
Release Date	18 <sup>th</sup> May 2021
Revision	r2251
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

#### **New Features**

(None)

### **Improvements**

(None)

#### Known Issues

(None)

First Release of VigorACS 3

[END OF FILE]