

## **Release Notes for DrayTek Vigor 3220 (UK/Ireland)**

Firmware Version	3.8.7
Release Type	<b>Regular</b> – Upgrade recommended when convenient
Release Date	4 <sup>th</sup> January 2018
Build Date	30 <sup>th</sup> November 2017
Revision	69828
Applicable Models	Vigor 3220
Locale	UK Only

### **New Features**

1. Support for BGP (Border Gateway Protocol)
2. Supported LAN subnet size increased to 1023 IP addresses per subnet (/22)
3. [Hotspot Web Portal] replaces [LAN] > [Web Portal Setup]
4. Support for IPsec IKEv2 for LAN to LAN tunnels and Remote Dial-in User VPN clients that support Pre-Shared-Key authentication
5. IPsec VPN now supports SHA2\_256 (SHA256) authentication algorithm
6. Forward packets from WAN to VPN tunnel (single-arm VPN)
7. WAN Connection Detection - Ping Detect now supports Primary/Secondary Ping IP, Interval & Retry parameters
8. Added [NAT] > [ALG] menu to configure the router's SIP & RTSP ALG (Application Layer Gateway) functionality
9. Added Bandwidth Utilisation Notification Settings to [System Maintenance] > [TR-069] to give more detailed bandwidth usage information to VigorACS
10. DrayDDNS (DrayTek Dynamic DNS) support added in [Applications] > [Dynamic DNS]
11. Added [Firewall] > [Diagnostics] to test filter rules

### **Improvements**

1. Default Protocol for NAT Port Redirection entries is now "TCP/UDP"
2. Switch Management now supports management of the VigorSwitch P1280
3. Auto backup router configuration to USB Storage either periodically or upon setting change
4. Resolved an issue with QoS operation when Bandwidth Limit is also enabled
5. Schedule entries can now operate on a set date each month, or daily cycle (max 30 days)
6. Automatic monthly reset of User Profile time/data quotas (with monthly schedule entry)
7. Maximum MTU for LAN ports increased to 1500 bytes
8. Improved compatibility of configuration file restoration from other Vigor routers

### **Known Issues**

(None)

---

## **Firmware File Types**

The ZIP file contains the firmware with two different file extensions, .ALL and .RST. The firmware is identical but the RST file contains factory default settings. If you install the ALL file, your router will retain all existing settings. If you use the RST file, all settings will be wiped from your router.

## **Upgrade Instructions**

It is recommended that you take a configuration backup prior to upgrading the firmware. This can be done from the router's system maintenance menu.

To upgrade firmware, select '*firmware upgrade*' from the router's system maintenance menu and select the correct file. Ensure that you select the ALL file unless you want to wipe out your router's settings back to factory default.



## **Manual Upgrade**

If you cannot access the router's menu, you can put the router into 'TFTP' mode by holding the RESET whilst turning the unit on and then use the Firmware Utility. That will enable TFTP mode. TFTP mode is indicated by all LEDs flashing. This mode will also be automatically enabled by the router if there is a firmware/settings abnormality. Upgrading from the web interface is easier and recommended – this manual mode is only needed if the web interface is inaccessible.

---

Firmware Version	3.8.4.1
Release Type	<b>Regular</b> – Upgrade recommended when convenient Note: A previous firmware (3.8.4) was a <b>critical release</b> . This f/w includes all changes/improvements that were in 3.8.4.
Release Date	26 <sup>th</sup> September 2017
Build Date	28 <sup>th</sup> August 2017
Revision	68158
Applicable Models	Vigor 3220
Locale	UK Only

### **New Features**

1. Support for extra TR-069 parameters

### **Improvements**

1. Improved IPsec LAN to LAN VPN throughput
2. Certificates generated by the router can now be signed with the SHA-256 algorithm
3. Policy Route can now direct traffic through virtual WAN (Multi-PVC) interfaces
4. Inter-LAN Routing table in [LAN] > [General Setup] now allows routing between LAN1 and DMZ Port when VLANs are not enabled
5. Web Content Filter incorrectly classified “petlog.org.uk” as an Uncategorized website
6. Interoperability improvements to the router’s SSH server
7. Improved FTP server to prevent FTP bounce scanning
8. SNMP access was unable to filter by Manager Host IP
9. Improved algorithm used for encrypting configuration file in [System Maintenance] > [Configuration Backup] when saving router configuration with a password
10. Improved handling of sending Syslog log information to a hostname
11. Improved resilience of the router’s Switch Management functionality
12. Disabling the Firewall could stop Hardware Acceleration being applied to sessions
13. The Start Date of the Root CA certificate created in [Certificate Management] > [Trusted CA Certificate] would be 1 day after the time of creation
14. Resolved an issue with PPTP VPN Passthrough for NAT to some types of internal PPTP VPN server
15. NAT Loopback did not work correctly with routed LAN subnets
16. Enabling Session Limit could cause a WAN interface to remain offline
17. WAN IP Alias addresses did not work correctly with ports opened in [NAT] > [Open Ports]
18. Corrected an issue with Bandwidth Limit when applied with IP Object addresses

19. Layout and wording improved in the following sections:
  - a. [Applications] > [IGMP]
  - b. [Firewall] > [General Setup]
  - c. [LAN] > [VLAN]
20. Interface selection box was not displayed in web interface for "Force router to use "DNS server IP address" settings specified in" setting
21. USB port 2 used for 3G/4G WAN is more clearly identified in [WAN] > [Internet Access]

### **Known Issues**

1. Access List does not currently apply to the router's TR-069 Management service, which uses TCP 8069 by default

Firmware Version	3.8.4
Release Type	<b>Critical</b> – Upgrade recommended immediately
Release Date	4 <sup>th</sup> January 2017
Build Date	16 <sup>th</sup> December 2016
Revision	61275
Applicable Models	Vigor 3220
Locale	UK Only

### **New Features in this Firmware**

1. Added [Central Switch Management] > [Switch Management] to manage compatible VigorSwitches
2. [WAN] > [Internet Access] > [IPv6] PPP WAN now supports IPv6 RIPng (RIP for IPv6)
3. Support for DNSSEC added in [Application] > [DNS Security]
4. Firewall configuration can be backed up / restored from [Firewall] > [General Setup]
5. Firewall Wizard Mode added to [Firewall] > [Filter Setup] > [Edit Filter Set]
6. Firewall Diagnostics to test filter rules added in [Firewall] > [Diagnose]
7. Ping Detect latency Graph is available in [Diagnostics] > [Traffic Graph] for WAN interfaces using Ping for WAN Connection Detection
8. [Objects Setting] > [IP Objects] can now be uploaded to the router in CSV format
9. IP Objects can now be automatically created from the router's current ARP table
10. IP Objects can now be automatically created from the router's Routing Table
11. [NAT] > [Port Redirection] and [Open Ports] can specify an allowed Source IP Object (Single IP, Subnet or Range IP) to allow only specified IPs to access port forwards without making Firewall Filter Rules
12. VoIP QoS Statistics / Log added to [Bandwidth Management] > [Quality of Service]
13. Support for USB Thermometer
14. [Online Status] displays DSL details of a Vigor 130 modem connected to a WAN interface

### **Improvements in this firmware**

1. Security improvements including one or more considered critical.
2. DNS servers could not be configured for DHCP on subnets other than LAN1
3. AP Management can now be disabled from [System Maintenance] > [Management]
4. Added options in [System Maintenance] > [Management] to disable HTTPS management via TLS 1.0, TLS 1.1 or TLS 1.2
5. High Availability can now operate over IPv6 in addition to IPv4
6. Bandwidth Limit and Session Limit now support IPv6
7. LAN IP Alias feature added to control WAN interface used for outbound traffic by specifying a different Gateway IP on client devices
8. Configuration backup filename format improved i.e.  
v3220\_<date (yyyymmdd)>\_<router name>\_<firmware version>.cfg

### **Known Issues**

(None)

Firmware Version	3.8.2.2 (First Release)
Release Date	18th May 2016
Applicable Models	Vigor 3220
Locale	UK/Ireland ONLY

**First Release of Firmware for this model**

**[END OF FILE]**