Release Notes for VigorACS 3 (UK/Ireland)

| Software Version | 3.1.1 (Formal Release) |
|------------------|-----------------------------------------------|
| Release Type | Regular – Upgrade recommended when convenient |
| Release Date | 24 th September 2021 |
| Revision | r2802 |
| Open JDK Version | 13.0.2.8 |
| Mariadb Version | 10.4.12 |
| InfluxDB Version | 1.8.3 |
| Locale | UK & Ireland Only |

VigorACS 3 is the latest version of DrayTek's Central Management System (CMS). It supports all current DrayTek routers and firewalls, providing System Integrators and network administrators with a comprehensive real-time monitoring, configuration, and management platform. New with VigorACS 3 is Software Defined WAN or Software Defined Networking, to make complex routing schemes simple and intuitive.

To learn more about the features and capabilities of VigorACS, see this page: <u>https://www.draytek.co.uk/products/management</u>

Supported Models and Firmware Versions

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

New Features

- Support for auto-sync of CPE WUI (Web User Interface)
- Added support for Netflow

Improvements

(None)

Known Issues

| Software Version | 3.1.0.2 (Formal Release) |
|------------------|-----------------------------------------------|
| Release Type | Regular – Upgrade recommended when convenient |
| Release Date | 10 th September 2021 |
| Revision | r2713 |
| Open JDK Version | 13.0.2.8 |
| Mariadb Version | 10.4.12 |
| InfluxDB Version | 1.8.3 |
| Locale | UK & Ireland Only |

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

New Features

(None)

Improvements

• Resolved an issue with restoring a configuration through an HTTPS URL

Known Issues

| Software Version | 3.1.0.1 (Formal Release) |
|------------------|-----------------------------------------------|
| Release Type | Regular – Upgrade recommended when convenient |
| Release Date | 13 th August 2021 |
| Revision | r2709 |
| Open JDK Version | 13.0.2.8 |
| Mariadb Version | 10.4.12 |
| InfluxDB Version | 1.8.3 |
| Locale | UK & Ireland Only |

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

New Features

(None)

Improvements

- Improvement: Removed the default HTTP Server header.
- Resolved an issue with saving WAN1 config settings with the Vigor2860
- Corrected failure to complete scheduled configuration backup for VigorAP
- Opening more than two router pages in different tabs in any browser caused a display issue
- Save button was missing in Two-factor authentication for the operator and view-only users
- Resolved an error message of "Connection Timeout" appearing while file uploading manually via [Maintenance] > [File Manager]

Known Issues

| Software Version | 3.1.0 (Formal Release) |
|------------------|-----------------------------------------------|
| Release Type | Regular – Upgrade recommended when convenient |
| Release Date | 24 th June 2021 |
| Revision | r2696 |
| Open JDK Version | 13.0.2.8 |
| Mariadb Version | 10.4.12 |
| InfluxDB Version | 1.8.3 |
| Locale | UK & Ireland Only |

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

New Features

- Added new menu options for:
 - Loopback Interface
 - o RADIUS Request Interval
 - Failback to Local Authentication for TACACS+ server
 - Secondary server for ACS/STUN/Syslog/TACACS service
 - o Ping/traceroute diagnostics rights for the View-Only Operator
 - Auto-logout preferences for users

Improvements

- Support to change user settings for Group Administrator accounts
- REST service can now be run with a different port number
- Improved the GET methods to obtain data based on selected UserID for REST service
- An e-mail alert will include Note1 and Note2 information of CPE
- The settings menu can be closed by clicking anywhere on the screen
- Added IP Group type and IP Group selections to LAN Access List
- Added "Show Google Maps" to the function management
- Auto Refresh option added to the [Monitoring] > [Devices] page
- Changed the authority limitation for User Group and User Role for VigorACS Cloud.
- Provide options in the installation to let users configure how the server log will be stored
- Added username/password criteria and complexity for improving the network security
- Hide version number and Network ID for all user levels except System admin, for Cloud users
- Added Network Name column for LTE Quota Alarm on the [Monitoring] > [Alarm] page
- Disable modifications to the public area for all user levels except sys administration
- Added notifications for APP Enforcement, UCF, WCF, DNS Filter web pages in [Configuration] > [Firewall]
- Add SSH Login/SSH Command types for displaying as Type on [Monitoring] > [Logs] > [CPE Notify]
- Resolved a problem with Two-factor authentication
- Resolved an issue with configuring CPE WAN physical mode and access mode
- Corrected an issue with starting VigorACS service from "vigoracs.sh"

- Corrected an issue with searching for devices with a hyphen '-' in the name
- A CPE could incorrectly be moved to the root network without permission
- Improved the auto-refresh function on the Dashboard
- Resolved issues with VigorACS management of some QoS configurations and Firewall configurations
- Resolved an issue with restarting CPE based on the provisions sent by VigorACS
- Corrected an issue with adding new networks with matching the minimum criteria
- Setting open port WAN interface could send the wrong value in some circumstances
- The "Connection Timeout" message's Retry button did not work correctly
- Resolved WAN interface display issue on [Configuration] > [WAN] > [Internet Access]
- Improved sorting of devices based on the "Last Modified" column in File Manager
- Resolved issues relating to [Configuration] > [VPN] > [Remote Dial-in User] including:
 - VPN Type settings for Allowed Dial-In Type
 - \circ $\;$ Position offset for the button of Set to Factory Default

Known Issues

| Software Version | 3.0.5 (First Software Release) |
|------------------|--------------------------------|
| Release Type | Initial Release |
| Release Date | 18 th May 2021 |
| Revision | r2251 |
| Open JDK Version | 13.0.2.8 |
| Mariadb Version | 10.4.12 |
| InfluxDB Version | 1.8.3 |
| Locale | UK & Ireland Only |

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

New Features

(None)

Improvements

(None)

Known Issues

(None)

First Release of VigorACS 3

[END OF FILE]