# **Release Notes for VigorACS 3 (UK/Ireland)**

Software Version	3.2.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	10 <sup>th</sup> March 2022
Revision	r3162
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

VigorACS 3 is the latest version of DrayTek's Central Management System (CMS). It supports all current DrayTek routers and firewalls, providing system integrators and network administrators with a comprehensive real-time monitoring, configuration, and management platform. New with VigorACS 3 is Software Defined WAN or Software Defined Networking, to make complex routing schemes simple and intuitive.

To learn more about the features and capabilities of VigorACS, see this page: <u>https://www.draytek.co.uk/products/management</u>

# **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

# New Features

- Leaflet / OpenStreetMap added as an alternative provider for map display. Select this from [System] > [System Parameter] with the "MapServiceProvider" setting
- 2. New Out of Box Experience (OOBE) feature added to aid in initial setup for new users
- 3. Support for InfluxDB Backup and Restoration. Contact support for details
- 4. Support for "Forgot password..." feature. Toggle on/off from [System] > [System Parameter] list with the "EnableUsermailValidation" variable
- 5. Support for XMPP server (required to be set up by the user additionally)

# **Improvements**

- 1. Parameter List table can now be sorted on the Global Parameter page
- 2. Added a new user role: Commissioning User. This user role can create new networks and view SD-WAN settings but cannot modify SD-WAN settings.
- 3. Increased SMTP password max length up to 256 characters
- 4. The "Enable API Service" option can now be enabled to users authenticated externally
- 5. Added new option "VPN server" for VPN brute force protection
- 6. Added support for hostnames in the remote management access list
- Option to "Delete with wholesale" added to [User] > [Group Management] to delete all Networks, Devices and Users from the selected User group
- 8. Changed the file manager's DrayTek FTP protocol from HTTP to HTTPS
- 9. Added new VPN settings field for [VPN] > [SSL VPN General Setup]
- 10. Support to adjust the date and time fields for dark theme in creating a new report task

- 11. Root Network will be invisible if login to VigorACS with the role of Group Admin/wholesale users
- 12. The option, All, is hidden for Keep Files, Maintenance] > [Scheduled Backup] > [Backup Settings Profile
- 13. Added a new parameter (ShowRootNetworkGraphicStatistics) to display/close the statistics and graphs on Root Network. Default value is turned off
- 14. Fixed a display issue for the device tree on some specific pages
- 15. Fixed an issue with TR-069 parameter used in report task
- 16. Fixed an issue with registering a new device to VigorACS
- 17. Fixed an issue with support .cloud domains in some fields
- 18. Fixed an issue with displaying overall Cellular Data Usage
- 19. Fixed an issue with setting the secret with hexadecimal digits
- 20. Fixed an issue with wrong message displayed after closing install.sh script
- 21. Resolved an issue with creating new users by using Wholesale Wizard
- 22. Improved handling of downloading files from DrayTek FTP to Public Area
- 23. Fixed an issue with selecting / unselecting multiple database backup files
- 24. Fixed an issue with modifying Objects on NAT rules, Global Provisioning
- 25. Fixed an issue with displaying the model panel of Vigor2926L on the Dashboard
- 26. Fixed an issue with registering a user, created by using Wholesale Wizard, to the network
- 27. Improved uploading of files to the PublicArea Group in [Maintenance] > [File Manager]
- 28. Corrected display issue for devices and networks in tree view, when adding new devices
- 29. An issue with Standard user got 'Session Expired' message when trying to delete CPE in (CloudACS)
- 30. Fixed creation of TR-069 database during ACS installation where MySQL password contained an "&" character
- 31. Improved handling of RADIUS Confirm Shared Secret configuration longer than 11 characters
- 32. Resolved issue registering CPE in network when user was created via the Wholesale Wizard
- 33. Improved status message displayed when enabling "Disable TR-069 configuration changes from CPE UI"
- 34. Add columns of the following settings for certain device (CPE) on VigorACS:
  - a. [Bandwidth Management] > [Quality of Service], [Hardware QoS]
  - b. [Bandwidth Management] > [Bandwidth Limit], [APP]
  - c. [Configuration] > [Wireless LAN (2.4/5GHz)] > [Access Control, Comment
  - d. [Configuration] > [Wireless LAN (2.4/5GHz)] > [Station Control List], Reset/Cancel button
  - e. [Firewall] > [Filter Rules] > Direction, WAN -> Localhost
  - f. [LAN] > [General Setup] > [IPv6], IPv6 Address Random Allocation
  - g. [System Maintenance] > [Netflow]
  - h. [System Maintenance] > [Webhook]
  - i. [WAN] > [Internet Access], Fallback account
  - j. [Wireless LAN (2.4GHz/5GHz)] > [AP Discovery] > [Statistics]
  - k. [Wireless LAN (5GHz)] > [AP Discovery] > [Add to WDS Settings]

# Known Issues

Software Version	3.1.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	24 <sup>th</sup> September 2021
Revision	r2802
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

VigorACS 3 is the latest version of DrayTek's Central Management System (CMS). It supports all current DrayTek routers and firewalls, providing System Integrators and network administrators with a comprehensive real-time monitoring, configuration, and management platform. New with VigorACS 3 is Software Defined WAN or Software Defined Networking, to make complex routing schemes simple and intuitive.

To learn more about the features and capabilities of VigorACS, see this page: <u>https://www.draytek.co.uk/products/management</u>

# **Supported Models and Firmware Versions**

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

#### New Features

- Support for auto-sync of CPE WUI (Web User Interface)
- Added support for Netflow

#### **Improvements**

(None)

#### Known Issues

Software Version	3.1.0.2 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	10 <sup>th</sup> September 2021
Revision	r2713
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

(None)

### **Improvements**

• Resolved an issue with restoring a configuration through an HTTPS URL

### Known Issues

Software Version	3.1.0.1 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	13 <sup>th</sup> August 2021
Revision	r2709
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

(None)

## **Improvements**

- Improvement: Removed the default HTTP Server header.
- Resolved an issue with saving WAN1 config settings with the Vigor2860
- Corrected failure to complete scheduled configuration backup for VigorAP
- Opening more than two router pages in different tabs in any browser caused a display issue
- Save button was missing in Two-factor authentication for the operator and view-only users
- Resolved an error message of "Connection Timeout" appearing while file uploading manually via [Maintenance] > [File Manager]

#### Known Issues

Software Version	3.1.0 (Formal Release)
Release Type	Regular – Upgrade recommended when convenient
Release Date	24 <sup>th</sup> June 2021
Revision	r2696
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

## New Features

- Added new menu options for:
  - Loopback Interface
  - RADIUS Request Interval
  - Failback to Local Authentication for TACACS+ server
  - Secondary server for ACS/STUN/Syslog/TACACS service
  - Ping/traceroute diagnostics rights for the View-Only Operator
  - o Auto-logout preferences for users

#### **Improvements**

- Support to change user settings for Group Administrator accounts
- REST service can now be run with a different port number
- Improved the GET methods to obtain data based on selected UserID for REST service
- An e-mail alert will include Note1 and Note2 information of CPE
- The settings menu can be closed by clicking anywhere on the screen
- Added IP Group type and IP Group selections to LAN Access List
- Added "Show Google Maps" to the function management
- Auto Refresh option added to the [Monitoring] > [Devices] page
- Changed the authority limitation for User Group and User Role for VigorACS Cloud.
- Provide options in the installation to let users configure how the server log will be stored
- Added username/password criteria and complexity for improving the network security
- Hide version number and Network ID for all user levels except System admin, for Cloud users
- Added Network Name column for LTE Quota Alarm on the [Monitoring] > [Alarm] page
- Disable modifications to the public area for all user levels except sys administration
- Added notifications for APP Enforcement, UCF, WCF, DNS Filter web pages in [Configuration] > [Firewall]
- Add SSH Login/SSH Command types for displaying as Type on [Monitoring] > [Logs] > [CPE Notify]
- Resolved a problem with Two-factor authentication
- Resolved an issue with configuring CPE WAN physical mode and access mode
- Corrected an issue with starting VigorACS service from "vigoracs.sh"

- Corrected an issue with searching for devices with a hyphen '-' in the name
- A CPE could incorrectly be moved to the root network without permission
- Improved the auto-refresh function on the Dashboard
- Resolved issues with VigorACS management of some QoS configurations and Firewall configurations
- Resolved an issue with restarting CPE based on the provisions sent by VigorACS
- Corrected an issue with adding new networks with matching the minimum criteria
- Setting open port WAN interface could send the wrong value in some circumstances
- The "Connection Timeout" message's Retry button did not work correctly
- Resolved WAN interface display issue on [Configuration] > [WAN] > [Internet Access]
- Improved sorting of devices based on the "Last Modified" column in File Manager
- Resolved issues relating to [Configuration] > [VPN] > [Remote Dial-in User] including:
  - VPN Type settings for Allowed Dial-In Type
  - $\circ$   $\;$  Position offset for the button of Set to Factory Default

## Known Issues

Software Version	3.0.5 (First Software Release)
Release Type	Initial Release
Release Date	18 <sup>th</sup> May 2021
Revision	r2251
Open JDK Version	13.0.2.8
Mariadb Version	10.4.12
InfluxDB Version	1.8.3
Locale	UK & Ireland Only

For a full model support list, as well as VigorACS Server requirements, visit this URL: <u>https://www.draytek.co.uk/products/business/vigoracs-3#compatibility</u>

#### New Features

(None)

## **Improvements**

(None)

# Known Issues

(None)

First Release of VigorACS 3

[END OF FILE]